







OUR **MODERN** LINE IS INTENTIONAL IN BOTH PROCESS AND PRODUCT.

We've considered how every detail can serve you and your vision, guided by the quality and innovation that only Marvin can deliver.

THIS IS DESIGN IN YOUR HANDS.

THIS IS OUR MODULAR SYSTEM.

Every product works together as part of a visual system to help you design and configure with ease and confidence. Consistent sightlines across all products-along with special innovations like our integrated mull channel-maintain the clean aesthetic so central to modern design.

Pictured below: Modern Direct Glaze and Casement windows (left) and the Modern Multi-Slide door (right) Certified mulling options are available



THIS IS POWER IN SIMPLICITY.

THIS IS OUR PROPRIETARY FRAME.

A new frame design reimagines how modern windows and doors can perform. From exterior to interior, our proprietary High-Density Fiberglass infuses the Modern window and door frame with superior strength and thermal performance. The frame also features an integrated mull channel that enables mull reinforcement while maintaining sightlines and preserving thermal efficiency.

Pictured right: Modern Direct Glaze window cross-section



BUILT-IN DRYWALL RETURN FOR EASY WALL INTEGRATION



THIS IS PERFORMANCE BEYOND EXPECTATIONS.

THIS IS HIGH-DENSITY FIBERGLASS.

We envisioned more performance potential for modern windows and doors. So we developed High-Density Fiberglass, a revolutionary material that echoes the look of its modern counterparts with better thermal efficiency.

Pictured above: Modern Direct Glaze mulled window cross-section

ELEMENTAL ALUMINUM INTERIOR WITH LOW-GLOSS FINISH STRENGTH AND DURABILITY RATED UP TO PG45 FOR IMPRESSIVE PERFORMANCE DETAILS THAT ENHANCE THE VIEW LIKE CONCEALED FASTENERS, MINIMAL BLACK SPACER BARS, AND BLACK SEALANT

THIS IS HOW IT ALL

COMES TOGETHER.

Combine product ingenuity with pure modern aesthetics and the result is truly stunning. Our Modern line is made to be built big and perform at scale, complemented by the power of critical design details. A low-gloss aluminum interior adds an elemental feel. Black spacer bars and black sealant engineered to maintain a clean daylight opening minimizes visual distractions. And internal covers completely disguise fasteners for clean, crisp edges.

Pictured left: Modern Multi-Slide door with a Clear Anodized interior finish



WE PARTNERED WITH ARCHITECTS AND BUILDERS TO DEVELOP A PROCESS THAT ANSWERS THEIR NEEDS AT EVERY STEP ALONG THE WAY.

60

DELIVERY

We worked to create packaging and delivery systems that help you plan better and make the best use of your time and resources.

LBS

It begins with **PRODUCT WEIGHTS** listed on the quote and order confirmation – so you can plan proper equipment and resources in advance. We also provide prominent **WEIGHT LABELS** on every Modern product for easy on-site reference.

\bigcup

All products are packaged to protect components during shipping and handling. Ergonomic LIFT POINTS on each end of the unit help you leverage heavy products. Staple-free CARDBOARD BOOTS are fully wrapped around each corner. Dual skid plates provide rigidity and maneuverability, so you can slide products across different floor surfaces.

OTHER CONSIDERATIONS

- + Glass is covered with protective film
- + Each unit is stretch wrapped

←

INSTALLATION

On the job site, efficiency is key. So we created thoughtful products and accessories that ensure the installation runs smoothly.

4	7	2
		_
	-	

A **JOB BOX** contains all the important parts and documentation you need, in one convenient place. Specially stocked according to your order, inside every job box you'll find:

- + Product hardware
- + Installation screws
- + Injection sealant
- + Installation instructions
- + Order information
- + Warranty registration
- + Touch-up and repair kits
- + And more

Never lose time tracking down an extra part or reference material.

OTHER CONSIDERATIONS

- + Pre-fabricated and pre-configured components reduce install time
- + Drywall recess in the frame accepts a drywall return for seamless integration





INTERIOR VIEW – PUSH OUT AWNING SHOWN IN EBONY WITH MATTE BLACK HARDWARE



INTERIOR VIEW – CRANK OUT AWNING SHOWN IN EBONY WITH MATTE BLACK HARDWARE

MODERN AWNING WINDOW

FEATURES
Crank Out and Push Out available
Sleek and modern form
Numerous sizes and configurations available, including right- or left-hand operating
Screens are intentionally designed to achieve

/ designed to achieve a cohesive look with the window

Frame recess accepts a drywall return

Horizontal or vertical ribbon mulling capabilities

HARDWARE FOR ALL AWNING

Concealed multi-point lock system

One locking lever to engage or disengage multi-point locks

Stainless steel hinges

Proprietary Crank Out and Push Out designed hardware

HARDWARE FOR PUSH OUT

Discreet, nested handle at the sash and frame

HARDWARE FOR CRANK OUT

Exclusive rotating handle design

GLASS OPTIONS		UNIT TYPE
Dual or triple-pane insulated glass Interior cover depths vary based c	n glass thickness	
Black spacer and dark silicone sea	ant	AWNING
Low E1, E2, E3, ELR, or ERS glass o	ptions	CRANK OUT
Specialty glass: frosted, obscure,	and gray or bronze tint	
Argon or Krypton-Argon blend ga	S	CRANK OUT
CONFIGURATIONS AND MULLING		PUSH OUT
Jamb depth	4 ¹ / ₂ "	
Awning to awning mulled frames	5 %/16" wide	CRANK OUT
Seamless mulled assemblies with	aluminum reinforcement	
		PUSH OUT
THERMAL PERFORMANCE		
Dual-pane IG low E2 with Argon	0.28 U-Factor	
		MULL ASSEMBI

UNIT TYPE	AIR TESTED TO PSF	WATER TESTED TO PSF	DESIGN PRESSURE	CERTIFICATION RATING	MAX FRAME SIZE UNIT	
AWNING					WIDTH	HEIGHT
CRANK OUT	1.57	12.1	50	CW-PG50-FW	64"	96"
CRANK OUT	1.57	12.1	45	LC-PG45-FW	96"	64"
PUSH OUT	1.57	12.1	45	CW-PG45-FW	96"	64"
CRANK OUT	1.57	12.1	50	CW-PG50-FW	72"	72"
PUSH OUT	1.57	12.1	50	CW-PG50-FW	89"	48"
MULL ASSEMBLIES					WIDTH	HEIGHT
ALL PRODUCTS	1.57	12.1	40	CW-PG40-FW	168"	96"
ALL PRODUCTS	1.57	12.1	40	CW-PG40-FW	96"	168"

For the most complete technical information, visit marvin.com or talk with your Modern dealer.

INTERIOR VIEW – PUSH OUT CASEMENTS SHOWN IN EBONY WITH MATTE BLACK HARDWARE



EXTERIOR VIEW – CASEMENTS SHOWN IN EBONY

MODERN CASEMENT WINDOW

FEATURES	HARDWARE FOR PUSH OUT		AIR TESTED	WATER TESTED	DESIGN	CERTIFICATION		
Crank Out and Push Out available	Discreet, nested handle at the sash and frame	UNIT TYPE	TO PSF	TO PSF	PRESSURE	RATING	MAX FRAM	1E SIZE UNIT
Sleek and modern form	Optional low or mid-height handle and lock placement							
Numerous sizes and configurations available, ncluding right- or left-hand operating	HARDWARE FOR CRANK OUT	CASEMENT					WIDTH	HEIGHT
Screens are intentionally designed to achieve a cohesive look with the window	Exclusive rotating handle design	CRANK OUT AND PUSH OUT	1.57	12.1	50	CW-PG50-FW	36"	102"
Sash can slide across frame for easy wash mode	GLASS OPTIONS	CRANK OUT AND PUSH OUT	1.57	12.1	50	CW-PG50-FW	40"	96"
Frame recess accepts a drywall return	Dual or triple-pane insulated glass Interior cover depths vary based on glass thickness							
Horizontal or vertical ribbon mulling capabilities	Black spacer and dark silicone sealant	CRANK OUT AND PUSH OUT	1.57	12.1	50	CW-PG50-FW	44"	92"
HARDWARE FOR ALL CASEMENT	Low E1, E2, E3, ELR, or ERS glass options							
Concealed multi-point lock system	Specialty glass: frosted, obscure, and gray or bronze tint	MULLASSEMBLIES					WIDTH	HEIGHT
One locking lever to engage or disengage multi-point locks	Argon or Krypton-Argon blend gas	ALL PRODUCTS	1.57	12.1	40	CW-PG40-FW	168"	96"
Stainless steel hinges								
Proprietary Crank Out and Push Out designed hardware	CONFIGURATIONS AND MULLING	ALL PRODUCTS	1.57	12.1	40	CW-PG40-FW	96"	168"
	Casement to casement mulled frames 5 %/16" wide	ALLINODUCIO	1.07		10	5 540 FW		100

THERMAL PERFORMANCE

Dual-pane IG low E2 with Argon 0.28 U-Factor

For the most complete technical information, visit marvin.com or talk with your Modern dealer.





EXTERIOR VIEW - DIRECT GLAZE SHOWN IN EBONY

FEATURES

Large expanses of glass for maximum views with numerous configurations and sizes available

Rectangular and polygon shapes

Frame recess accepts a drywall return

Horizontal or vertical ribbon mulling capabilities

Non-certified mulling capabilities

GLASS OPTIONS

Dual or triple-pane insulated glass Interior cover depths vary based on glass thickness
Argon or Krypton-Argon gas blend
Black spacer and silicone sealant
Low E1, E2, E3, ELR, or ERS glass options
Specialty glass: frosted, obscure, and gray or bronze tint

MULLING

Mulled frames are less than 3" wide

```
Approximate 3" frame divider simulates a mulled
Direct Glaze frame
```

CONFIGURATIONS

lsosceles triangle

Right triangle, right or left

Trapezoid, right or left

Pentagon

SIZING

Max frame size certified 141 ³/₈" x 93 ³/₈"

4 ¹/₂"

Jamb depth

SINGLE UNIT PERFORMANCE RATINGS

Air tested to PSF	6.24
Water tested to PSF	7.5
Performance grade	CW-PG40-FW
Max frame size height	93 ³ /8"
Max frame size width	141 ³ / ₈ "

For the most complete technical information, visit marvin.com or talk with your Modern dealer.



VERTICAL OR HORIZONTAL MULLED UNITS PERFORMANCE RATINGS

Air tested to PSF	1.57
Water tested to PSF	6.0
Performance grade	CW-PG40-FW
Max frame size height	96"
Max frame size width	168"
Max tributary width or height	84"

THERMAL PERFORMANCE

Dual-pane IG low E2 with Argon 0.28 U-Factor





EXTERIOR VIEW – OUTSWING DOOR SHOWN IN GUNMETAL WITH MATTE BLACK HARDWARE



EXTERIOR VIEW – INSWING DOOR SHOWN IN GUNMETAL WITH MATTE BLACK HARDWARE

FEATURES

1 and 2 panel units, inswing and outswing
Unequal panel widths
 Minimalist handles
Two 7" square barrel hinges for all door heights
Low-profile, performance, and saddle sills

HARDWARE

Minimalist hardware with multi-point lock
Sleek design for unobstructed views
7" adjustable hinge

GLASS OPTIONS

Dual or triple-pane insulated glass
Argon or Krypton-Argon blend gas
Black spacer and dark silicone sealant
Low E1, E2, E3, ELR, or ERS glass options
Specialty glass: frosted, obscure, and gray or bronze tint

UNIT TYPE	MIN FRAM	E SIZE UNIT	MAX FRAME SIZE UNIT		
UNI-DIRECTIONAL	WIDTH	HEIGHT	WIDTH	HEIGHT	
0	16"	16"	144"	144"	
X	20"	49"	48"	144"	
OX or XO	34"	49"	173"	144"	
ХХ	38"	49"	96"	144"	

O = Stationary Panel X = Operating Panel * Panel quantity per unit limited to two panels

For the most complete technical information, visit marvin.com or talk with your Modern dealer.

ADD-ONS

Lock status sensor

Retractable screens

PERFORMANCE GRADES

0	Performance Sill	up to CW-PG40-FD
0	Low Profile Sill	up to CW-PG30-FD
O or X	Performance Sill	up to LC-PG40-SHD
O or X	Low Profile Sill	up to LC-PG30-SHD
XO OX XX	Performance Sill	up to LC-PG40-SHD
XO OX XX	Low Profile Sill	up to LC-PG30-SHD

CONFIGURATIONS AND SIZING

Max stationary size: 8'	: 12'	
1-2 panel configuration	S	
Unequal panel widths		

FEATURES

Large expanses of glass for maximum views with numerous configurations and sizes available

Consistent panel thickness with narrow stiles and rails, regardless of configuration or size

Minimalist hardware designed for superior functionality, features a sleek and modern form

Low-profile, performance, and saddle sills in black or bronze

HARDWARE

Minimal pull and latch handles				
Keyed or non-keyed options available				
Multi-point lock				
Quad rollers with end adjustment				

GLASS OPTIONS

Dual or triple-pane insulated glass Argon or Krypton-Argon blend gas Black spacer and dark silicone sealant Low E1, E2, E3, ELR, or ERS glass options Specialty glass: frosted, obscure, and gray or bronze tint

ADD-ONS

MODERN MULTI-SLIDE DOOR

Automatic control	
Lock status sensor	
Retractable screen	

PERFORMANCE GRADES*

Uni-directional stacked	up to LC-PG45-SD
Uni-directional pocket	up to LC-PG45-SD
Bi-parting stacked	up to LC-PG40-SD
Bi-parting pocket	up to LC-PG40-SD

THERMAL PERFORMANCE

Dual-pane IG low E2 with Argon 0.28 U-Factor

MULTI-SLIDE CONFIGURATIONS AND SIZING

Over 30 configurations available

- + Uni-Directional configurations: 1 to 6 panels, available in stacked or pocket
- + Bi-Parting configurations: 2 to 10 panels, available in stacked or pocket

Sized to order up to 6' x 12' panels

Meeting stiles are less than 3" wide

* Varies with sill type



INTERIOR VIEW - MULTI-SLIDE DOOR SHOWN IN EBONY WITH MATTE BLACK HARDWARE



MINIMUMS AND MAXIMUMS MODERN MULTI-SLIDE DOOR **STACKED**

MIN FRAM	E SIZE UNIT	MAX FRAM	E SIZE UNIT	MAX FRAM	E SIZE UNIT
		Based on 6ft	wide panels	Based on > 6f	t wide panels*
WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT
55 ¹¹ / ₁₆ "	62 ³ / ₆₄ "	143 ¹¹ / ₁₆ "	144"	191 ¹¹ / ₁₆ "	120"
80 13/16"	62 ³ / ₆₄ "	212 13/16"	144"	284 ¹³ / ₁₆ "	120"
105 15/16"	62 ³ / ₆₄ "	281 15/16"	144"	NA	NA
131 1/ ₁₆ "	62 ³ / ₆₄ "	351 1/16"	144"	NA	NA
156 ³/ ₁₆ "	62 ³ / ₆₄ "	420 ³ / ₁₆ "	144"	NA	NA
	WIDTH 55 ¹¹ / ₁₆ " 80 ¹³ / ₁₆ " 105 ¹⁵ / ₁₆ " 131 ¹ / ₁₆ "	55 11/16" 62 3/64" 80 13/16" 62 3/64" 105 15/16" 62 3/64" 131 1/16" 62 3/64"	WIDTH HEIGHT WIDTH $55 {}^{11}/_{16}$ " $62 {}^{3}/_{64}$ " $143 {}^{11}/_{16}$ " $80 {}^{13}/_{16}$ " $62 {}^{3}/_{64}$ " $212 {}^{13}/_{16}$ " $105 {}^{15}/_{16}$ " $62 {}^{3}/_{64}$ " $281 {}^{15}/_{16}$ " $131 {}^{1}/_{16}$ " $62 {}^{3}/_{64}$ " $351 {}^{1}/_{16}$ "	Based on 6ft wide panels WIDTH HEIGHT WIDTH HEIGHT $55 {}^{11}/_{16}$ " $62 {}^{3}/_{64}$ " $143 {}^{11}/_{16}$ " 144 " $80 {}^{13}/_{16}$ " $62 {}^{3}/_{64}$ " $212 {}^{13}/_{16}$ " 144 " $105 {}^{15}/_{16}$ " $62 {}^{3}/_{64}$ " $281 {}^{15}/_{16}$ " 144 " $131 {}^{1}/_{16}$ " $62 {}^{3}/_{64}$ " $351 {}^{1}/_{16}$ " 144 "	Based on 6ft wide panels Based on > 6f WIDTH HEIGHT WIDTH HEIGHT WIDTH $55 {}^{11}/_{16}{}^{"}$ $62 {}^{3}/_{64}{}^{"}$ $143 {}^{11}/_{16}{}^{"}$ $144{}^{"}$ $191 {}^{11}/_{16}{}^{"}$ $80 {}^{13}/_{16}{}^{"}$ $62 {}^{3}/_{64}{}^{"}$ $212 {}^{13}/_{16}{}^{"}$ $144{}^{"}$ $284 {}^{13}/_{16}{}^{"}$ $105 {}^{15}/_{16}{}^{"}$ $62 {}^{3}/_{64}{}^{"}$ $281 {}^{15}/_{16}{}^{"}$ $144{}^{"}$ NA $131 {}^{1}/_{16}{}^{"}$ $62 {}^{3}/_{64}{}^{"}$ $351 {}^{1}/_{16}{}^{"}$ $144{}^{"}$ NA

UNI-DIRECTIONAL	WIDTH	HEIGHT
PX or XP	30 %/16"	68 ¹⁹ / ₆₄ "
PXX or XXP	55 ¹¹ / ₁₆ "	68 ¹⁹ / ₆₄ "
PXXX or XXXP	80 ¹³ / ₁₆ "	68 ¹⁹ / ₆₄ "
PXXXX OR XXXXP	105 15/16"	68 ¹⁹ / ₆₄ "
PXXXXX OR XXXXXP	131 1/ ₁₆ "	68 ¹⁹ / ₆₄ "
PXXXXXX OR XXXXXXP	156 ³ / ₁₆ "	68 ¹⁹ / ₆₄ "

MIN FRAME SIZE UNIT

UNIT TYPE	MIN FRAM	MIN FRAME SIZE UNIT MAX FRAME SIZE UNIT		E SIZE UNIT	MAX FRAME SIZE UNIT	
			Based on 6f	t wide panels	Based on > 61	ft wide panels*
BI-PARTING	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT
OX - XO	109³/₄"	76 ³⁹ / ₆₄ "	285 ³ /4"	144"	381 ³/4"	120"
OXX-XXO	160"	76 ³⁹ / ₆₄ "	424"	144"	568"	120"
OXXX-XXXO	2101/4"	76 ³⁹ / ₆₄ "	5621/4"	144"	NA	NA
OXXXX-XXXXO	260 ¹ / ₂ "	76 ³⁹ / ₆₄ "	700 ¹ /2"	144"	NA	NA

O = Stationary Panel X = Operating Panel

UNIT TYPE	MIN FRAM	E SIZE UNIT
BI-PARTING	WIDTH	HEIGHT
PX-XP	59 ¹ / ₂ "	80 ⁵⁵ / ₆₄ "
PXX-XXP	109³/4"	80 ⁵⁵ / ₆₄ "
PXXX-XXXP	160"	80 ⁵⁵ / ₆₄ "
PXXXX-XXXXP	210 ¹ / ₄ "	8055/64"
PXXXXX-XXXXXP	2601/2"	80 ⁵⁵ / ₆₄ "

P = Pocket Panel X = Operating Panel

MINIMUMS AND MAXIMUMS MODERN MULTI-SLIDE DOOR **POCKET**

UNIT TYPE

For the most complete technical information, visit marvin.com or talk with your Modern dealer.

MAX FRAME SIZE UNIT

 Based on 6ft wide panels

 WIDTH
 HEIGHT

 74 %/16"
 144"

 143 11/16"
 144"

 212 13/16"
 144"

 281 15/16"
 144"

 351 1/16"
 144"

 420 3/16"
 144"

MAX FRAME SIZE UNIT		
Based on > 6ft wide panels*		
WIDTH	HEIGHT	
98 ⁹ / ₁₆ "	120"	
191 ¹¹ / ₁₆ "	120"	
NA	NA	

MAX FRAME SIZE UNIT		MAX FRAME SIZE UNIT	
Based on 6ft wide panels		Based on > 6ft wide panels*	
WIDTH	HEIGHT	WIDTH	HEIGHT
147 ¹ /2"	144"	1951/2"	120"
285 ³ /4"	144"	381 ³ / ₄ "	120"
424"	144"	NA	NA
5621/4"	144"	NA	NA
7001/2"	144"	NA	NA



MODERN DESIGN OPTION LIMITLESS POSSIBILITIES

-

I











DIVIDED LITES

Achieve a unique aesthetic with divided lites on any Modern window or door. Select from a variety of customizable patterns, available on both dual pane and triple pane products.

Pictured right: Exterior detail of Simulated Divided Lites in Ebony Pictured below: Modern Inswing door

SIMULATED DIVIDED LITES (SDL)

 $\frac{\text{Aluminum interior + exterior}}{7/6" \text{ or } 11/6" \text{ width}}$

SIMULATED FRAME

Aluminum interior, high density fiberglass exterior

21⁄8" width



SILL OPTIONS

We've innovated every aspect of the new Modern line, right down to the smallest details. We offer flush sill options for both temperate and inclement conditions as well as a performance sill for areas where recessing isn't an option.

Modern door sills are engineered with our proprietary High Density Fiberglass for superior strength and thermal performance. Available in Ebony or Bronze with aluminum liners and covers.

Pictured right: Detail of the Flush Sill

MULTI-SLIDE DOOR SILL OPTIONS



 FLUSH SILL

 Recommended for protected areas

 Not certified for performance

 ADA compatible when properly installed



PERFORMANCE SILL Recommended for areas where performance is needed and the sill is not recessed

Rated and certified for performance



HIGH PERFORMANCE SILL
Rated and certified for superior performance
ADA compatible when properly installed

SWINGING DOOR SILL OPTIONS



SADDLE SILL

Not certified for performance ADA compatible when properly installed

Available in dark bronze in thermally broken aluminum



LOW-PROFILE SILL

Rated and certified for performance ADA compatible when recessed



PERFORMANCE SILL

Rated and certified for performance

Not ADA compatible



CURATED COLORS

INTERIOR COLORS • LOW-GLOSS ALUMINUM GUNMETAL BRONZE EBONY STONE WHITE

Our intentionally selected color palette evokes the elemental nature of modern design. Choose split interior and exterior color finishes or matching finishes designed to coordinate.



GUNMETAL

BRONZE

EBONY

STONE WHITE



HARDWARE FINISHES

From low-profile handles to nested locks, our hardware is designed to complement clean, modern lines while delivering reliable performance. Select from a variety of finishes and styles to fit your vision.

Pictured above: Casement and Awning Crank Out hardware and Multi-Slide door interior and exterior multi-point lock system handles

SCREENS

All screens are intentionally designed for uninterrupted views, ease of use, and a sleek modern look.

Pictured right: Modern Awning window Pictured below: Modern Casement Crank Out window



CASEMENT AND AWNING PUSH OUT

Concealed screen frame does not disrupt sightlines or view

High transparency mesh

Innovative latch color matched to the interior

Concealed hinges support operability

CASEMENT AND AWNING CRANK OUT

Concealed screen frame does not disrupt sightlines or view

High transparency mesh

Innovative latch color matched to the interior

Crank in and out operability







At Marvin, we're driven to imagine and create better ways of living by designing windows and doors that open new possibilities for the people who use them.

To learn more visit us at MARVIN.COM/MODERN

19983042

Marvin Lumber and Cedar Co., Warroad, MN 56763.

©2021 Marvin Lumber and Cedar Co., LLC. All rights reserved. ®Registered trademark of Marvin Lumber and Cedar Co., LLC.

Information regarding status of patent applications, as well as product features and specifications, is subject to change without notice. August 2021.

For warranty information, please visit marvin.com

Please note: Colors shown in printed materials are simulations and may not precisely duplicate product or finish colors. Contact your local Modern dealer to view actual product and finish color samples.